



Hubbell iSTATION HDMI 110 UTP Extenders

Decorator ISFH110xx Module IMH1102xx



xx = Color: BK (Black), EI (Electric Ivory), GY (Gray), **OW** (Office White), and **W** (White).

HDMI Decorator Frames

1-port	NS801xx
2-port	NS802xx



xx = Color: AL (Almond), BK (Black), I (Electric Ivory), GY (Gray), LA (Light Almond), **OW** (Office White), and **W** (White).

HDMI Accessories

HDMI Horizontal Runs and Device Patch Cords



Patch Cords, 24AWG

3', Black	HDPC03BK
6' Black	HDPC06BK



Horizontal Cords (connector-to-connector)

HDHyyBK Black

Link Cords, 24AWG (connector-to-device)

HDLyyBK Black

Coupler Cords, 24AWG (coupler-to-device)

Black **HDCyyBK**

yy = Length: 10 (10'), 15 (15'), 20 (20'), 25 (25'), and 30 (30'). Black and non-plenum only.

HDMI Couplers



HDMI Coupler Gold, Female-Female HDMIC14



HDMI 3" Tail Gold, Female-Female HDMIT14 1-pk



DVI to HDMI Adapter HDMI Keystone Female-Female 1-pk



Female-Female **DVIHDMI1** 1-pk SFHC14

AV Plug-n-Play X-End Horizontal Runs, M/M





8-Pin Non-Plenum VGA6yyBK Non-Plen VGA36yyBK

8-Pin with 3.5mm VGA6PyyBK Plenum VGA36PyyBK

yy = Length: 15 (15'), 25 (25'), 35 (35'), 50 (50'), 75 (75'), and 100 (100').

X-End AV Plug-n-Play Application Patching Runs, M/M





S-video w/ 3.5mm audio	AVS35yy
S-video w/ 2 RCA L/R audio	AVSRAyy
3 RCA composite w/ L/R audio	AVRCyy
3 RCA component	AVCRyy
3 RCA composite S-video w/ L/R	AVSRCyy
4 RCA component w/ S/PDIF	AVCRDyy
5 RCA component w/ L/R audio	AVCARyy
3 RCA component w/ 3.5mm	AVC35yy
3 RCA composite w/ 3.5mm	AVR35yy
3 RCA component w/ S-video	AVSCRyy
5-BNC RGBHV	AVByy
15-Pin VGA	AV15Myy
15-pin VGA w/ 3.5mm audio	AV1535yy
yy = Length: 05 (5'), 10 (10').	

X-End AV Plug-n-Play Application Tails, M/F







		-
S-video w/ 3.5mm a	udio	AVS35T1
S-video w/ 2 RCA L/I	R audio	AVSRAT1
3 RCA composite w/	L/R audio	AVRCT1
3 RCA component via	deo	AVCRT1
3 RCA composite S-v	ideo w/ L/R	AVSRCT1
4 RCA component w/	/ S/PDIF	AVCRDT1
5 RCA component w/	/ L/R audio	AVCART1
3 RCA component w/	/ 3.5mm audio	AVC35T1
3 RCA composite w/	3.5mm audio	AVR35T1
3 RCA component w/	/ S-video	AVSCRT1
5-BNC RGBHV		AVBT1
15-pin VGA w/ 3.5m	ım audio	AV1535T1

X-End Plug-n-Play Modules, F/F





S-video w/ 3.5mm audio	IMS3581xx
S-video w/ 2 RCA L/R audio	IMSRA81xx
3 RCA composite w/ L/R audio	IMR8P1xx
3 RCA component video	IMCR81xx
3 RCA S-video w/ L/R audio	IMSRC815xx
4 RCA component w/ S/PDIF	IMCRD815xx
5 RCA component w/ L/R audio	IMCAR815xx
3 RCA component w/ 3.5mm	IMC35815xx
3 RCA composite w/ 3.5mm	IMR35815xx
3 RCA component w/ S-video	IMSCCR815xx
5-BNC RGBHV	IMB815xx
15-pin VGA w/ 3.5mm audio	IM153815xx

xx = Color: AL (Almond), BK (Black), EI (Electric Ivory), GY (Gray), LA (Light Almond), **OW** (Office White), and **W** (White). Light Almond is the same color as Office White.

9- and 15-pin Connectors



Screw Terminal 9-pin 10-pk **9ST10** 15-pin 10-pk 15ST10



Gender Changer 9-pin 10-pk **9GC10** 15-pin 10-pk 15GC10



Screw Terminal 15-pin SF15ST keystone

front mount



Gender Changer, 90° 15-Pin 15901 1-pk 10-pk 159010

DVI Adapters/Couplers



DVI-I Coupler DVI1 1-pk



DVI to VGA Adapter Female-Female **DVI151** 1-pk



DVI Blank, Unloaded, 1 Unit 1-pk IMBDVI15xx 10-pk **IMBDVI1015xx**



DVI to HDMI Adapter Female-Female **DVIHDMI1** 1-pk

VGA Plug-n-Play X-End Connections, 15-Pin to 8-Pin, F/F $^{\prime}$



100	
Straight 18	30°
1-Pack	15S6P1

10-Pack



8" Tail 15**T**6P1* Female 15MP6P1* Male



Angled 45 15A6P1 1-Pack 10-Pack 15A6P10



W (White)

Angled 90)°
1-Pack	15N6P1
10-Pack	15N6P10

xx = Housing Color:

GY (Gray) AL (Almond) BK (Black) El (Electric Ivory) LA (Light Almond) OW (Office White)

*For 10-pack, change "1" to "10".

15S6P10





IFP Faceplates

Sing	le	Gang

Double Gang

6-port

9-port

12-port

-port	IFP11xx
1-port	IFP14xx

IFP26xx

IFP29xx

IFP212xx Almond is not available in single gang

2-port IFP12xx IFP16xx 6-port

3-port IFP13xx



S-Video to 110

SFSV110xx Not available in Light Almond.



S-Video Pass-Thru

SFSVxx

Not available in Light Almond.

Stereo Jacks

SF35SJxx

Pass-Thru F/F

Gold

1/4" Solder

SF14SJxx



3.5mm Solder

SF35FFxx

SF35GFFxx



3.5mm Screw Term SF35STxx

110 Termination F/F

Bulk, 3.5mm 10-Pk

35\$10

35FF10

35ST10

SF35110BK

Solder

Pass-Thru

Screw Term



A to A, 2.0 **SFUSBAAB** Blue Of. White **SFUSBAAOW**

USB Connectors

SFUSBAAW A to A, 3.0

SFUSBAA3BK



Blue	SFUSBABB
Of. White	SFUSBABOW
White	SFUSBABW
A to D	2 0

A to B, 3.0 Black SFUSBAB3BK

6-Pin DIN Connectors



Keyboard, Pass-Thru SF6PK Black



Mouse, Pass-Thru SF6PM Black

RCA Connectors



110 Punch Down

Housing: Black Insulator: Blue, Green, Red, White, Yellow SFRC110xx



RCA Solder Term

Housing: See chart (except Office White) Insulator: See chart **SFRCxxx**

Gold Pass-Thru F/F, Recessed

Housing: See chart Insulator: See chart **SFRCxxRxx**

xx = Insulator Color: BK B GN



Gold Pass-Thru F/F

Housing: Office White Insulator: Black, Red, White, Yellow

SFRCxxFF

Housing: Office White Insulator: Blue, Green, Orange

SFRCxxFFOW

Housing: See chart (except Office White) Insulator: See chart



Gold Speaker Post Connectors



Screw Term, Black **SFSPGBKxx**

Banana Plug, Black

BNC Connectors



Screw Term, Red SFSPGRxx



Banana Plug, Red 10-pk SPPR10

Inline Data Couplers





SFC5EBK SFC5EW White

Cat 5e, Cross Over 10/100BASE-T



SFC6BK

SFC6W

SF5ECOGY

Xcelerator Jacks

F-Type Connectors



Pass-Thru F/F

Pass-Thru F/F,

Recessed

Gold

Office White SFFX Other colors SFFxxX*

*Housing Colors as below except: **B** (Black), **E** (Electric Ivory), G (Gray)



Pass-Thru F/F

SFFGxx Gold

3 GHz Pass-Thru F/F



RCA to F-Type, Gold Pass-Thru F/F

SFRFGxx Not available in Almond or Light Almond.



SPPBK10



Pass-Thru F/F, Gold

Smooth Blank, 10-Pk

*No Office White.

SFSBxx10*

SFBGxx







Black

White

NEXTSPEED® Cat 6 HXJ6xx 1-pk. 25-pk HXJ6xx25*





SPEEDGAIN® Cat 5e

HXJ5Exx 25-pk. **HXJ5Exx25***



USOC

RJ-25 HXJUxx RJ-61 Black HXJU8BK RJ-61 Of.Wh. HXJU8OW

xx = Jack Color:

AL	ВК	В	EI	GY	GN
LA	ow	OR	R	W	Y

*Also available in Purple and Gold

xx = Housing Color:

Not available in Almond.

SFGRFxx

AL (Almond)

BK (Black)

El (Electric Ivory)

10-pk

Blank, 10-Pk

*Housing Colors as below

except: **B** (Black) and

RG59 to RG6 M/F

Use w Recessed F-Type

E (Electric Ivory)

Office White

RG59A10

SFB10

SFBxx10*

GY (Gray) LA (Light Almond)

OW (Office White)

W (White)





Hubbell iSTATION Plates and Frames



iSTATION Plates 1-gang IMF1xx IMF2xx



iSTATION Stainless

Steel Plates	
1-gang	IMSS1
2-gang	IMSS2
3-gang	IMSS3
4-gang	IMSS4



Hubbell iSTATION Multimedia Modules



Composite Video w/ L-R Audio Solder IM3RS1xx

Component Video,

4R Audio, 110 Term

L/R Audio, 110 Term

IMCAR11015xx

IMAR1101xx



Component Video Solder IMCRS1xx

Component Video,

3.5mm, 110 Term

Composite Video w/

L-R Audio, 110 Term

IMR1101xx

IMC3511015xx



Composite Video, 3.5mm Stereo, Solder L-R Audio RGBHV IMRSJ1xx



Component Video w/ Solder

IMCRS15xx



Composite Video, 3.5mm, 110 Term IMR3511015xx



Component Video, S-Video, 110 Term IMSC11015xx



S-Video, w/ L-R Audio, 110 Term IMSR1101xx



Component Video, 110 Term IMCR1101xx

Component Video Pass-Thru



L-R Audio, 3.5mm Stereo, Pass-Thru IM35AR1xx



iSTATION Bezels

For 3rd party Raceway **HWAPLGY** Of. White **HWAPLOW**

Raceway Bezels **KPIMBZGY** Gray **HWAPLW** Of.White KPIMBZOW

Unloaded Keystone/SC/ Pro AV Modules



SC Angled

1-Port, 1 Duplex, 1.5 Unit IM1SCA15xx 2-Port, 2 Duplex, IM2SCA2xx 2 Unit



Keystone Angled

1-Port, 1.5 Unit **IM1KA15xx** 2-Port. 1.5 Unit **IM2KA15xx**



S-Video, 3.5mm

Speaker Post, Screw Term IMSP1xx

Pro Audio Connections



Composite Video w/

L-R Audio Pass-Thru

Banana Plug, 10-Pk. Black Red



SPPBK10 SPPR10

1U

36

IM3RF1xx

Multimedia Panels

IMCRF1xx



Hubbell iSTATION Panel, Rack Mount, Unloaded

Height	Ports	Flat	Angled
1U	16	UDXIS1U	UDXAM16
2U	48	UDXIS2U	UDXAM48



Keystone Flat, 1 Unit IM1K1xx* 1-Port IM2K1xx* 2-Port

Blank Modules

0.5 Unit

1.5 Unit

1 Unit



Keystone Recessed, Angled, 1.5 Unit 1-Port **IM1IA15xx**** 2-Port **IM2IA15xx****



Pro-AV, 1.5 Unit IMAVB15xx



Pass-Thru 139410 10-pk



1/4" Locking Stereo, Solder 10-pk 14510



USB, A-to-B Pass-Thru USB10 10-pk



2U	48	UDX48E	UDXA48
UDX Ja	ck Pane	l, High Density	, Unloaded
Height	Ports	Flat*	Angled*
1U	48	UDX48E1U	UDX48A1U
*Acconts	only HXI	'H Llacks	

UDX36E

Loaded Pro AV Modules

*Includes all housing colors except Light Almond. **Includes all housing colors except Almond and Light Almond.

IMB05xx*

IMB15xx*

IMB1xx*



Mini XLR, 3-Pole, Solder, IMXLRM1xx



Screw Term XLR, VGA 3.5mm Stereo IM153X2OW



XLR, 3-pole,

Screw Term

10-pk

2-Pole Speakon®, Solder 10-pk SC10



XLR 3-Pole, Solder 10-pk XLR10

UDX Pro-AV Panel, Rack Mount, Unloaded			
Height	Ports	Flat	Angled
1U	16	PAV16	PAVA16
2U	32	PAV32	PAVA32

xx = Housing Color:

AL (Almond)

BK (Black)

El (Electric Ivory)

XLRST10

GY (Gray) LA (Light Almond)

OW (Office White)

W (White)





Hubbell SystemOne Flush Delivery Products



Multi-Service Floor Box, Round		
PVC	S1PFB	
Stamped Steel	S1SFB	
Stamped Steel AV	S1SFBAV	
Cast Iron	S1CFR	

Poke-Through, 1-Piece		
AV	S1PT3IM*	
Decorator	S1PT*	
4x4	S1PT4X4*	
Furniture Feed	S1PTFF*	
*Add suffix for finish:		

"AL"=Aluminum; "BL"=Black; "BRS"=Brass; "GY"=Gray.

Poke-Through Floor Fitting		
2-Channel	S1PTFIT	
4x4	S1PT4X4FIT	
AV	S1PTAVFIT	



Feed Carpet Furniture S1SPFFT* Feed Tile

Sub-Plat	е	- 4
istation	S1SP4IM	- 1
4x4	S1SP4X4	1
Decorator	S1SP	
STATION + Power	S1SP3IM	
Twist-Lock	S1SPTL	



*Add suffix for finish: "AL"=Aluminum; "BL"=Black; "BRS"=Brass; "I"=Ivory; "GY"=Gray.



WSBHTRBSS

Power + Data



6" Fitting with Cover

S1R6PTWZxxx (2) pre-wired 20A receptacles with 18" leads plus 2 decorator openings including 2" EMT and 3/4" EMT

6" FRPT Fitting

6" through floor fitting including 2" EMT S1R6PTFIT and ¾" ĔMT

S1SP4X4

S1SP

6" cast aluminum cover with two large S1R6CVRxxx hide-away egress doors 8" Fitting with Cover

(4) pre-wired 20A receptacles with 18" S1R8PTZZ3xxx leads plus 3 gangs with 2" EMT for data

8" FRPT Fitting

8" through floor fitting including 2" EMT S1R8PTFIT3 for data and AV

8" Cover

8" cast aluminum cover with two large S1R8CVRxxx hide-away egress doors

6" and 8" Sub-Plate

A large array of power, data and AV sub-plates are available for both 6" and 8" FRPTs. The 8" FRPT can accept third-party, 2-gang devices (i.e. FSR®, Crestron® and Extron®). Consult local sales team or Hubbell website.

xxx = Finish: ALU (Brushed Aluminum), BLK (Black Powder Coat), BRS (Brushed Brass, Plated), BRZ (Oil Rubbed Bronze, Plated) and NKL (Satin Nickel, Plated).



S1R6PTWZALU



S1R6CVRALU



S1R6CVRBLK




S1R6CVRBRS



S1R6CVRNKL

Recessed Concrete Floor Boxes and Covers

	7-Gang	11-Gang
4" depth	CFB7G4	CFB11G4
6" depth	CFB7G6	CFB11G6
Carpet Cover	CFB7CVRxxx	CFB11CVRxxxx
Tile Cover	CFB7Txxx	CFB11Txxx





S1SPSL2IM



Recessed Enclosures

FPTV Connections Enclosure		
2-gang in-wall enclosure, White	NSAV62M	
Steel cover, White	NSAV6C	



Enclosure, White	AVCE1
Enclosure, plenum rated, White	AVCE1P

Note: AV enclosure includes enclosure, two 20A duplex receptacles and 2-gang back box.





Furniture and Work Surface Connectivity Boxes

Sauare Mini Lift-Up Style

equal of minimal and engine			
(1) pre-wired 15A outlet w/	Black	WSBA11BK	
9ft power cord; (1) RJ-45 jack w/ 6ft patch cord	Brushed Stainless	WSBA11BSS	
(2) pre-wired 15A outlets	Black	WSBA2BK	
w/ 9ft power cord (power only)	Brushed Stainless	WSBA2BSS	

Pop-Up Style

Base unit w/ (4) pre-wired 15A outlets w/ 6ft power cord; (2) LV plates w/ 1-U iSTATION WSBH42U* module opening **WSBHTRBK** Trim ring and round top, Black

Brushed Stainless Steel Note: *WSBH42U is CSA Certified only.

Trim ring and round top,



Grommet Style

(2) pre-wired 15A outlets 6ft power cord; (2) keystone openings Flush grommet cover w/ dust shield

Black WSBF22BK WSBF22SV Silver Black **WSBFGROMBK WSBFGROMSV** Silver Brushed **WSBFGROMBAL** Aluminum Brushed **WSBFGROMBSS**

Stainless

Pre-Wired Dual-Service, Table Top Box

TTBDS1xx Pre-wired 15A outlet w/ 9ft power cord; 3.5mm screw terminal audio jack; 15-pin gender changer F/F; (2) keystone openings (2) pre-wired 15A outlets w/ 9ft power TTBDS2xx cord; (2) keystone openings

xx = Finish: **BK** (Black Anodized Aluminum), **AL** (Clear Anodized Aluminum) and BR (Solid Brass).



Crestron® is a registered trademark of Crestron Electronics, Inc. Extron® is a registered trademark of Extron Electronics. FSR® is a registered trademark of FSR, Inc.



www.hubbell-premise.com

