

FRAMES

Notes: Electronic configuration is available on the Service Center.

42U Frames

PART NO.	DESCRIPTION
OR-LX422433-X	Frame, LX, 42U x 24"W x 33"D
OR-LX422439-X	Frame, LX, 42U x 24"W x 39"D
OR-LX422445-X	Frame, LX, 42U x 24"W x 45"D
OR-LX423033-X	Frame, LX, 42U x 30"W x 33"D
OR-LX423039-X	Frame, LX, 42U x 30"W x 39"D
OR-LX423045-X	Frame, LX, 42U x 30"W x 45"D
OR-LX423233-X	Frame, LX, 42U x 32"W x 33"D
OR-LX423239-X	Frame, LX, 42U x 32"W x 39"D
OR-LX423245-X	Frame, LX, 42U x 32"W x 45"D

Notes: Replace "X" tailcode with "B" for black or "W" for white.

45U Frames

PART NO.	DESCRIPTION
OR-LX452433-X	Frame, LX, 45U x 24"W x 33"D
OR-LX452439-X	Frame, LX, 45U x 24"W x 39"D
OR-LX452445-X	Frame, LX, 45U x 24"W x 45"D
OR-LX453033-X	Frame, LX, 45U x 30"W x 33"D
OR-LX453039-X	Frame, LX, 45U x 30"W x 39"D
OR-LX453045-X	Frame, LX, 45U x 30"W x 45"D
OR-LX453233-X	Frame, LX, 45U x 32"W x 33"D
OR-LX453239-X	Frame, LX, 45U x 32"W x 39"D
OR-LX453245-X	Frame, LX, 45U x 32"W x 45"D

Notes: Replace "X" tailcode with "B" for black or "W" for white.

47U Frames


PART NO.	DESCRIPTION
OR-LX472433-X	Frame, LX, 47U x 24"W x 33"D
OR-LX472439-X	Frame, LX, 47U x 24"W x 39"D
OR-LX472445-X	Frame, LX, 47U x 24"W x 45"D
OR-LX473033-X	Frame, LX, 47U x 30"W x 33"D
OR-LX473039-X	Frame, LX, 47U x 30"W x 39"D
OR-LX473045-X	Frame, LX, 47U x 30"W x 45"D
OR-LX473233-X	Frame, LX, 47U x 32"W x 33"D
OR-LX473239-X	Frame, LX, 47U x 32"W x 39"D
OR-LX473245-X	Frame, LX, 47U x 32"W x 45"D

Notes: Replace "X" tailcode with "B" for black or "W" for white.

52U Frames

PART NO.	DESCRIPTION
OR-LX522433-X	Frame, LX, 52U x 24"W x 33"D
OR-LX522439-X	Frame, LX, 52U x 24"W x 39"D
OR-LX522445-X	Frame, LX, 52U x 24"W x 45"D
OR-LX523033-X	Frame, LX, 52U x 30"W x 33"D
OR-LX523039-X	Frame, LX, 52U x 30"W x 39"D
OR-LX523045-X	Frame, LX, 52U x 30"W x 45"D
OR-LX523233-X	Frame, LX, 52U x 32"W x 33"D
OR-LX523239-X	Frame, LX, 52U x 32"W x 39"D
OR-LX523245-X	Frame, LX, 52U x 32"W x 45"D

Notes: Replace "X" tailcode with "B" for black or "W" for white.



24"W FRAME



32"W FRAME

19" EIA RAILS

42U 19" EIA Rails

PART NO.	DESCRIPTION
OR-LX4224M38-B-A	Mounting rails, LX, 19" EIA, 42U, .375" square holes, 24"W frame, black
OR-LX4224M12-B-A	Mounting rails, LX, 19" EIA, 42U, #12-24 tapped holes, 24"W frame, black
OR-LX4230M38-B-A	Mounting rails, LX, 19" EIA, 42U, .375" square holes, 30"W frame, black
OR-LX4230M12-B-A	Mounting rails, LX, 19" EIA, 42U, #12-24 tapped holes, 30"W frame, black
OR-LX4232M38-B-A	Mounting rails, LX, 19" EIA, 42U, .375" square holes, 32"W frame, black
OR-LX4232M12-B-A	Mounting rails, LX, 19" EIA, 42U, #12-24 tapped holes, 32"W frame, black

45U 19" EIA Rails

PART NO.	DESCRIPTION
OR-LX4524M38-B-A	Mounting rails, LX, 19" EIA, 45U, .375" square holes, 24"W frame, black
OR-LX4524M12-B-A	Mounting rails, LX, 19" EIA, 45U, #12-24 tapped holes, 24"W frame, black
OR-LX4530M38-B-A	Mounting rails, LX, 19" EIA, 45U, .375" square holes, 30"W frame, black
OR-LX4530M12-B-A	Mounting rails, LX, 19" EIA, 45U, #12-24 tapped holes, 30"W frame, black
OR-LX4532M38-B-A	Mounting rails, LX, 19" EIA, 45U, .375" square holes, 32"W frame, black
OR-LX4532M12-B-A	Mounting rails, LX, 19" EIA, 45U, #12-24 tapped holes, 32"W frame, black

47U 19" EIA Rails

PART NO.	DESCRIPTION
OR-LX4724M38-B-A	Mounting rails, LX, 19" EIA, 47U, .375" square holes, 24"W frame, black
OR-LX4724M12-B-A	Mounting rails, LX, 19" EIA, 47U, #12-24 tapped holes, 24"W frame, black
OR-LX4730M38-B-A	Mounting rails, LX, 19" EIA, 47U, .375" square holes, 30"W frame, black
OR-LX4730M12-B-A	Mounting rails, LX, 19" EIA, 47U, #12-24 tapped holes, 30"W frame, black
OR-LX4732M38-B-A	Mounting rails, LX, 19" EIA, 47U, .375" square holes, 32"W frame, black
OR-LX4732M12-B-A	Mounting rails, LX, 19" EIA, 47U, #12-24 tapped holes, 32"W frame, black

52U 19" EIA Rails

PART NO.	DESCRIPTION
OR-LX5224M38-B-A	Mounting rails, LX, 19" EIA, 52U, .375" square holes, 24"W frame, black
OR-LX5224M12-B-A	Mounting rails, LX, 19" EIA, 52U, #12-24 tapped holes, 24"W frame, black
OR-LX5230M38-B-A	Mounting rails, LX, 19" EIA, 52U, .375" square holes, 30"W frame, black
OR-LX5230M12-B-A	Mounting rails, LX, 19" EIA, 52U, #12-24 tapped holes, 30"W frame, black
OR-LX5232M38-B-A	Mounting rails, LX, 19" EIA, 52U, .375" square holes, 32"W frame, black
OR-LX5232M12-B-A	Mounting rails, LX, 19" EIA, 52U, #12-24 tapped holes, 32"W frame, black

Notes: Rails are sold in sets of (2), two sets of rails provides 4-point mounting



MOUNTING RAILS

23" EIA RAILS

Notes: Not compatible with all accessories. Contact a product specialist to ensure fit.

42U 23" EIA Rails

PART NO.	DESCRIPTION
OR-LX423023M38-B-A	Mounting rails, LX, 23" EIA, 42U, .375" square holes, 30"W frame, black
OR-LX423023M12-B-A	Mounting rails, LX, 23" EIA, 42U, #12-24 tapped holes, 30"W frame, black
OR-LX423223M38-B-A	Mounting rails, LX, 23" EIA, 42U, .375" square holes, 32"W frame, black
OR-LX423223M12-B-A	Mounting rails, LX, 23" EIA, 42U, #12-24 tapped holes, 32"W frame, black

45U 23" EIA Rails

PART NO.	DESCRIPTION
OR-LX453023M38-B-A	Mounting rails, LX, 23" EIA, 45U, .375" square holes, 30"W frame, black
OR-LX453023M12-B-A	Mounting rails, LX, 23" EIA, 45U, #12-24 tapped holes, 30"W frame, black
OR-LX453223M38-B-A	Mounting rails, LX, 23" EIA, 45U, .375" square holes, 32"W frame, black
OR-LX453223M12-B-A	Mounting rails, LX, 23" EIA, 45U, #12-24 tapped holes, 32"W frame, black

47U 23" EIA Rails

PART NO.	DESCRIPTION
OR-LX473023M38-B-A	Mounting rails, LX, 23" EIA, 47U, .375" square holes, 30"W frame, black
OR-LX473023M12-B-A	Mounting rails, LX, 23" EIA, 47U, #12-24 tapped holes, 30"W frame, black
OR-LX473223M38-B-A	Mounting rails, LX, 23" EIA, 47U, .375" square holes, 32"W frame, black
OR-LX473223M12-B-A	Mounting rails, LX, 23" EIA, 47U, #12-24 tapped holes, 32"W frame, black

52U 23" EIA Rails

PART NO.	DESCRIPTION
OR-LX523023M38-B-A	Mounting rails, LX, 23" EIA, 52U, .375" square holes, 30"W frame, black
OR-LX523023M12-B-A	Mounting rails, LX, 23" EIA, 52U, #12-24 tapped holes, 30"W frame, black
OR-LX523223M38-B-A	Mounting rails, LX, 23" EIA, 52U, .375" square holes, 32"W frame, black
OR-LX523223M12-B-A	Mounting rails, LX, 23" EIA, 52U, #12-24 tapped holes, 32"W frame, black

DOORS

Notes: All doors are tool-lessly removable and are attached using a security hinge. All doors are grounded.

42U Full Profile Mesh Doors

PART NO.	DESCRIPTION
OR-LX4224DFPM-X-A	Door, LX, full profile mesh, 42U x 24"W frame
OR-LX4230DFPM-X-A	Door, LX, full profile mesh, 42U x 30"W frame
OR-LX4232DFPM-X-A	Door, LX, full profile mesh, 42U x 32"W frame

Notes: Replace "X" tailcode with "B" for black or "W" for white.

45U Full Profile Mesh Doors

OR-LX4524DFPM-X-A	Door, LX, full profile mesh, 45U x 24"W frame
OR-LX4530DFPM-X-A	Door, LX, full profile mesh, 45U x 30"W frame
OR-LX4532DFPM-X-A	Door, LX, full profile mesh, 45U x 32"W frame

Notes: Replace "X" tailcode with "B" for black or "W" for white.

47U Full Profile Mesh Doors

PART NO.	DESCRIPTION
OR-LX4724DFPM-X-A	Door, LX, full profile mesh, 47U x 24"W frame
OR-LX4730DFPM-X-A	Door, LX, full profile mesh, 47U x 30"W frame
OR-LX4732DFPM-X-A	Door, LX, full profile mesh, 47U x 32"W frame

Notes: Replace "X" tailcode with "B" for black or "W" for white.

52U Full Profile Mesh Doors

OR-LX5224DFPM-X-A	Door, LX, full profile mesh, 52U x 24"W frame
OR-LX5230DFPM-X-A	Door, LX, full profile mesh, 52U x 30"W frame
OR-LX5232DFPM-X-A	Door, LX, full profile mesh, 52U x 32"W frame

Notes: Replace "X" tailcode with "B" for black or "W" for white.

42U Full Flat Mesh Doors

OR-LX4224DFFM-X-A	Door, LX, full flat mesh, 42U x 24"W frame
OR-LX4230DFFM-X-A	Door, LX, full flat mesh, 42U x 30"W frame
OR-LX4232DFFM-X-A	Door, LX, full flat mesh, 42U x 32"W frame

Notes: Replace "X" tailcode with "B" for black or "W" for white.

45U Full Flat Mesh Doors

OR-LX4524DFFM-X-A	Door, LX, full flat mesh, 45U x 24"W frame
OR-LX4530DFFM-X-A	Door, LX, full flat mesh, 45U x 30"W frame
OR-LX4532DFFM-X-A	Door, LX, full flat mesh, 45U x 32"W frame

Notes: Replace "X" tailcode with "B" for black or "W" for white.

47U Full Flat Mesh Doors

OR-LX4724DFFM-X-A	Door, LX, full flat mesh, 47U x 24"W frame
OR-LX4730DFFM-X-A	Door, LX, full flat mesh, 47U x 30"W frame
OR-LX4732DFFM-X-A	Door, LX, full flat mesh, 47U x 32"W frame

Notes: Replace "X" tailcode with "B" for black or "W" for white. Door handles sold separately, requires one handle per door.



FULL PROFILE MESH



FULL FLAT MESH

DOORS

Notes: All doors are tool-lessly removable and are attached using a security hinge. All doors are grounded.

52U Full Flat Mesh Doors

PART NO.	DESCRIPTION
OR-LX5224DFFM-X-A	Door, LX, full flat mesh, 52U x 24"W frame
OR-LX5230DFFM-X-A	Door, LX, full flat mesh, 52U x 30"W frame
OR-LX5232DFFM-X-A	Door, LX, full flat mesh, 52U x 32"W frame

Notes: Replace "X" tailcode with "B" for black or "W" for white.

42U Split Flat Mesh Doors

OR-LX4224DSFM-X-A	Door, LX, split flat mesh, 42U x 24"W frame
OR-LX4230DSFM-X-A	Door, LX, split flat mesh, 42U x 30"W frame
OR-LX4232DSFM-X-A	Door, LX, split flat mesh, 42U x 32"W frame

Notes: Replace "X" tailcode with "B" for black or "W" for white.

45U Split Flat Mesh Doors

OR-LX4524DSFM-X-A	Door, LX, split flat mesh, 45U x 24"W frame
OR-LX4530DSFM-X-A	Door, LX, split flat mesh, 45U x 30"W frame
OR-LX4532DSFM-X-A	Door, LX, split flat mesh, 45U x 32"W frame

Notes: Replace "X" tailcode with "B" for black or "W" for white.

47U Split Flat Mesh Doors

OR-LX4724DSFM-X-A	Door, LX, split flat mesh, 47U x 24"W frame
OR-LX4730DSFM-X-A	Door, LX, split flat mesh, 47U x 30"W frame
OR-LX4732DSFM-X-A	Door, LX, split flat mesh, 47U x 32"W frame

Notes: Replace "X" tailcode with "B" for black or "W" for white.

52U Split Flat Mesh Doors

OR-LX5224DSFM-X-A	Door, LX, split flat mesh, 52U x 24"W frame
OR-LX5230DSFM-X-A	Door, LX, split flat mesh, 52U x 30"W frame
OR-LX5232DSFM-X-A	Door, LX, split flat mesh, 52U x 32"W frame

Notes: Replace "X" tailcode with "B" for black or "W" for white.

42U Split Flat Solid Doors


OR-LX4224DSFS-X-A	Door, LX, split flat solid, 42U x 24"W frame
OR-LX4230DSFS-X-A	Door, LX, split flat solid, 42U x 30"W frame
OR-LX4232DSFS-X-A	Door, LX, split flat solid, 42U x 32"W frame

Notes: Replace "X" tailcode with "B" for black or "W" for white.

45U Split Flat Solid Doors

OR-LX4524DSFS-X-A	Door, LX, split flat solid, 45U x 24"W frame
OR-LX4530DSFS-X-A	Door, LX, split flat solid, 45U x 30"W frame
OR-LX4532DSFS-X-A	Door, LX, split flat solid, 45U x 32"W frame

Notes: Replace "X" tailcode with "B" for black or "W" for white.



SPLIT FLAT MESH



SPLIT FLAT SOLID

DOORS

Notes: All doors are tool-lessly removable and are attached using a security hinge. All doors are grounded.

47U Split Flat Solid Doors

PART NO.	DESCRIPTION
OR-LX4724DSFS-X-A	Door, LX, split flat solid, 47U x 24"W frame
OR-LX4730DSFS-X-A	Door, LX, split flat solid, 47U x 30"W frame
OR-LX4732DSFS-X-A	Door, LX, split flat solid, 47U x 32"W frame

Notes: Replace "X" tailcode with "B" for black or "W" for white.

52U Split Flat Solid Doors

OR-LX5224DSFS-X-A	Door, LX, split flat solid, 52U x 24"W frame
OR-LX5230DSFS-X-A	Door, LX, split flat solid, 52U x 30"W frame
OR-LX5232DSFS-X-A	Door, LX, split flat solid, 52U x 32"W frame

Notes: Replace "X" tailcode with "B" for black or "W" for white.

42U Full Flat Solid Doors

OR-LX4224DFFS-X-A	Door, LX, full flat solid, 42U x 24"W frame
OR-LX4230DFFS-X-A	Door, LX, full flat solid, 42U x 30"W frame
OR-LX4232DFFS-X-A	Door, LX, full flat solid, 42U x 32"W frame

Notes: Replace "X" tailcode with "B" for black or "W" for white.

45U Full Flat Solid Doors

OR-LX4524DFFS-X-A	Door, LX, full flat solid, 45U x 24"W frame
OR-LX4530DFFS-X-A	Door, LX, full flat solid, 45U x 30"W frame
OR-LX4532DFFS-X-A	Door, LX, full flat solid, 45U x 32"W frame

Notes: Replace "X" tailcode with "B" for black or "W" for white.

47U Full Flat Solid Doors

OR-LX4724DFFS-X-A	Door, LX, full flat solid, 47U x 24"W frame
OR-LX4730DFFS-X-A	Door, LX, full flat solid, 47U x 30"W frame
OR-LX4732DFFS-X-A	Door, LX, full flat solid, 47U x 32"W frame

Notes: Replace "X" tailcode with "B" for black or "W" for white.

52U Full Flat Solid Doors

OR-LX5224DFFS-X-A	Door, LX, full flat solid, 52U x 24"W frame
OR-LX5230DFFS-X-A	Door, LX, full flat solid, 52U x 30"W frame
OR-LX5232DFFS-X-A	Door, LX, full flat solid, 52U x 32"W frame

Notes: Replace "X" tailcode with "B" for black or "W" for white.



SPLIT FLAT SOLID



FULL FLAT SOLID

DOOR HANDLES

Swing Door Handles

PART NO.	DESCRIPTION
OR-LXDHSPR24-A	Door handle, 24"W profile door, swing, key lock, key #0333
OR-LXDHSPR30-A	Door handle, 30"W profile door, swing, key lock, key #0333
OR-LXDHSPR32-A	Door handle, 32"W profile door, swing, key lock, key #0333
OR-LXDHSPN-0333-A	Door handle, pan door, swing, key lock, key #0333
OR-LXDHSDD-0333-A	Door handle, dual door, swing, key lock, key #0333

Combination Swing Handle

OR-LXDHCPR24-A	Door handle, 24"W profile door, swing, combination/key lock, key #0333
OR-LXDHCPR30-A	Door handle, 30"W profile door, swing, combination/key lock, key #0333
OR-LXDHCPR32-A	Door handle, 32"W profile door, swing, combination/key lock, key #0333
OR-LXDHCPN-0333-A	Door handle, pan door, swing, combination/key lock, key #0333
OR-LXDHCDD-0333-A	Door handle, dual door, swing, combination/key lock, key #0333

Proximity Lock

OR-LXPRXLKDR24-A	Proximity lock, 24"W profile door, DCIM or security integration
OR-LXPRXLKDR30-A	Proximity lock, 30"W profile door, DCIM or security integration
OR-LXPRXLKDR32-A	Proximity lock, 32"W profile door, DCIM or security integration
OR-LXPRXLKDCPN-A	Proximity lock, pan door, DCIM or security integration
OR-LXPRXLKDCDD-A	Proximity lock, dual door, DCIM or security integration
OR-LXPRXLKINTK-A	(1) Security system integration kit
OR-LXPRXLKCARD-A	(1) Access card, proximity, 125kHz

Notes: Proximity locks can integrate with security or DCIM software. Proximity locks can unlock a single or both doors at once.



COMBINATION LOCK

KEYED LOCK



SECURITY SYSTEM INTEGRATION KIT

SIDE PANELS

42U Side Panels

PART NO.	DESCRIPTION
OR-LX4233SPSL-X-A	Side panel, solid, locking, 42U x 33"D frame
OR-LX4239SPSL-X-A	Side panel, solid, locking, 42U x 39"D frame
OR-LX4245SPSL-X-A	Side panel, solid, locking, 42U x 45"D frame

Notes: Replace "X" tailcode with "B" for black or "W" for white.

45U Side Panels

OR-LX4533SPSL-X-A	Side panel, solid, locking, 45U x 33"D Frame
OR-LX4539SPSL-X-A	Side panel, solid, locking, 45U x 39"D frame
OR-LX4545SPSL-X-A	Side panel, solid, locking, 45U x 45"D frame

Notes: Replace "X" tailcode with "B" for black or "W" for white.

47U Side Panels


OR-LX4733SPSL-X-A	Side panel, solid, locking, 47U x 33"D frame
OR-LX4739SPSL-X-A	Side panel, solid, locking, 47U x 39"D frame
OR-LX4745SPSL-X-A	Side panel, solid, locking, 47U x 45"D frame

Notes: Replace "X" tailcode with "B" for black or "W" for white.

52U Side Panels

OR-LX5233SPSL-X-A	Side panel, solid, locking, 52U x 33"D frame
OR-LX5239SPSL-X-A	Side panel, solid, locking, 52U x 39"D frame
OR-LX5245SPSL-X-A	Side panel, solid, locking, 52U x 45"D frame

Notes: Replace "X" tailcode with "B" for black or "W" for white. Side panels are hinged, fully bonded, tool-lessly removable and use same key as the front door for locking purposes. One side panel covers one side of the cabinet.



SOLID LOCKING SIDE PANEL

DIVIDER PANELS

Notes: Two divider panels are required to cover one side of the cabinet.

42U Solid Divider Panels

PART NO.	DESCRIPTION
OR-LX4233SPSN-X-A	Interbay divider panel, solid, snap-in, 42U x 33"D frame
OR-LX4239SPSN-X-A	Interbay divider panel, solid, snap-in, 42U x 39"D frame
OR-LX4245SPSN-X-A	Interbay divider panel, solid, snap-in, 42U x 45"D frame

Notes: Replace "X" tailcode with "B" for black or "W" for white.

45U Solid Divider Panels

OR-LX4533SPSN-X-A	Interbay divider panel, solid, snap-in, 45U x 33"D frame
OR-LX4539SPSN-X-A	Interbay divider panel, solid, snap-in, 45U x 39"D frame
OR-LX4545SPSN-X-A	Interbay divider panel, solid, snap-in, 45U x 45"D frame

Notes: Replace "X" tailcode with "B" for black or "W" for white.

47U Solid Divider Panels

OR-LX4733SPSN-X-A	Interbay divider panel, solid, snap-in, 47U x 33"D frame
OR-LX4739SPSN-X-A	Interbay divider panel, solid, snap-in, 47U x 39"D frame
OR-LX4745SPSN-X-A	Interbay divider panel, solid, snap-in, 47U x 45"D frame

Notes: Replace "X" tailcode with "B" for black or "W" for white.

52U Solid Divider Panels

OR-LX5233SPSN-X-A	Interbay divider panel, solid, snap-in, 52U x 33"D frame
OR-LX5239SPSN-X-A	Interbay divider panel, solid, snap-in, 52U x 39"D frame
OR-LX5245SPSN-X-A	Interbay divider panel, solid, snap-in, 52U x 45"D frame

Notes: Replace "X" tailcode with "B" for black or "W" for white.

42U Perforated Divider Panels

OR-LX4233SPPN-X-A	Interbay divider panel, perforated, snap-in, 42U x 33"D frame
OR-LX4239SPPN-X-A	Interbay divider panel, perforated, snap-in, 42U x 39"D frame
OR-LX4245SPPN-X-A	Interbay divider panel, perforated, snap-in, 42U x 45"D frame

Notes: Replace "X" tailcode with "B" for black or "W" for white.

45U Perforated Divider Panels

OR-LX4533SPPN-X-A	Interbay divider panel, perforated, snap-in, 45U x 33"D frame
OR-LX4539SPPN-X-A	Interbay divider panel, perforated, snap-in, 45U x 39"D frame
OR-LX4545SPPN-X-A	Interbay divider panel, perforated, snap-in, 45U x 45"D frame

Notes: Replace "X" tailcode with "B" for black or "W" for white.

47U Perforated Divider Panels

OR-LX4733SPPN-X-A	Interbay divider panel, perforated, snap-in, 47U x 33"D frame
OR-LX4739SPPN-X-A	Interbay divider panel, perforated, snap-in, 47U x 39"D frame
OR-LX4745SPPN-X-A	Interbay divider panel, perforated, snap-in, 47U x 45"D frame

Notes: Replace "X" tailcode with "B" for black or "W" for white. Perforated side panels provide security while maintaining a common plenum. Two divider panels are required to cover one side of the cabinet.



DIVIDER PANEL – SOLID, SNAP-IN



DIVIDER PANEL – PERFORATED, SNAP-IN

DIVIDER PANELS

Notes: Two divider panels are required to cover one side of the cabinet.

52U Perforated Divider Panels

PART NO.	DESCRIPTION
OR-LX5233SPPN-X-A	Interbay divider panel, perforated, snap-in, 52U x 33"D frame
OR-LX5239SPPN-X-A	Interbay divider panel, perforated, snap-in, 52U x 39"D frame
OR-LX5245SPPN-X-A	Interbay divider panel, perforated, snap-in, 52U x 45"D frame

Notes: Replace "X" tailcode with "B" for black or "W" for white.
Perforated side panels provide security while maintaining a common plenum.

42U Solid with Knock-Outs Divider Panels

OR-LX4233SPKN-X-A	Interbay divider panel, solid, with knock-outs, 42U x 33"D frame, black
OR-LX4239SPKN-X-A	Interbay divider panel, solid, with knock-outs, 42U x 39"D frame, black
OR-LX4245SPKN-X-A	Interbay divider panel, solid, with knock-outs, 42U x 45"D frame, black

Notes: Replace "X" tailcode with "B" for black or "W" for white.

45U Solid with Knock-Outs Divider Panels

OR-LX4533SPKN-X-A	Interbay divider panel, solid, with knock-outs, 45U x 33"D frame, black
OR-LX4539SPKN-X-A	Interbay divider panel, solid, with knock-outs, 45U x 39"D frame, black
OR-LX4545SPKN-X-A	Interbay divider panel, solid, with knock-outs, 45U x 45"D frame, black

Notes: Replace "X" tailcode with "B" for black or "W" for white.

47U Solid with Knock-Outs Divider Panels

OR-LX4733SPKN-X-A	Interbay divider panel, solid, with knock-outs, 47U x 33"D frame, black
OR-LX4739SPKN-X-A	Interbay divider panel, solid, with knock-outs, 47U x 39"D frame, black
OR-LX4745SPKN-X-A	Interbay divider panel, solid, with knock-outs, 47U x 45"D frame, black

Notes: Replace "X" tailcode with "B" for black or "W" for white.

52U Solid with Knock-Outs Divider Panels

OR-LX5233SPKN-X-A	Interbay divider panel, solid, with knock-outs, 52U x 33"D frame, black
OR-LX5239SPKN-X-A	Interbay divider panel, solid, with knock-outs, 52U x 39"D frame, black
OR-LX5245SPKN-X-A	Interbay divider panel, solid, with knock-outs, 52U x 45"D frame, black

Notes: Replace "X" tailcode with "B" for black or "W" for white. Divider panels with knocks allow for side to side cable management. Knock outs accept 4" round grommet part number 70300089 sold separately. There are (4) knock outs in each panel, or (8) per side.




DIVIDER PANEL – SOLID, WITH KNOCK-OUTS

TOP PANELS

High Density Top Panels

PART NO.	DESCRIPTION
OR-LX2433TPHD-X-A	Top panel, half-depth, high density, 24"W x 33"D frame
OR-LX2439TPHD-X-A	Top panel, half-depth, high density, 24"W x 39"D frame
OR-LX2445TPHD-X-A	Top panel, half-depth, high density, 24"W x 45"D frame
OR-LX3033TPHD-X-A	Top panel, half-depth, high density, 30"W x 33"D frame
OR-LX3039TPHD-X-A	Top panel, half-depth, high density, 30"W x 39"D frame
OR-LX3045TPHD-X-A	Top panel, half-depth, high density, 30"W x 45"D frame
OR-LX3233TPHD-X-A	Top panel, half-depth, high density, 32"W x 33"D frame
OR-LX3239TPHD-X-A	Top panel, half-depth, high density, 32"W x 39"D frame
OR-LX3245TPHD-X-A	Top panel, half-depth, high density, 32"W x 45"D frame

Notes: Replace "X" tailcode with "B" for black or "W" for white.




TOP PANEL – HIGH DENSITY

Solid Top Panels

OR-LX2433TPHS-X-A	Top panel, half-depth, solid, 24"W x 33"D frames
OR-LX2439TPHS-X-A	Top panel, half-depth, solid, 24"W x 39"D frames
OR-LX2445TPHS-X-A	Top panel, half-depth, solid, 24"W x 45"D frames
OR-LX3033TPHS-X-A	Top panel, half-depth, solid, 30"W x 33"D frames
OR-LX3039TPHS-X-A	Top panel, half-depth, solid, 30"W x 39"D frames
OR-LX3045TPHS-X-A	Top panel, half-depth, solid, 30"W x 45"D frames
OR-LX3233TPHS-X-A	Top panel, half-depth, solid, 32"W x 33"D frames
OR-LX3239TPHS-X-A	Top panel, half-depth, solid, 32"W x 39"D frames
OR-LX3245TPHS-X-A	Top panel, half-depth, solid, 32"W x 45"D frames

Notes: Replace "X" tailcode with "B" for black or "W" for white.



TOP PANEL – SOLID

PART NO.	DESCRIPTION
OR-LX2433TPHC-X-A	Top panel, half-depth, cable entry, 24"W x 33"D frames
OR-LX2439TPHC-X-A	Top panel, half-depth, cable entry, 24"W x 39"D frames
OR-LX2445TPHC-X-A	Top panel, half-depth, cable entry, 24"W x 45"D frames
OR-LX3033TPHC-X-A	Top panel, half-depth, cable entry, 30"W x 33"D frames
OR-LX3039TPHC-X-A	Top panel, half-depth, cable entry, 30"W x 39"D frames
OR-LX3045TPHC-X-A	Top panel, half-depth, cable entry, 30"W x 45"D frames
OR-LX3233TPHC-X-A	Top panel, half-depth, cable entry, 32"W x 33"D frames
OR-LX3239TPHC-X-A	Top panel, half-depth, cable entry, 32"W x 39"D frames
OR-LX3245TPHC-X-A	Top panel, half-depth, cable entry, 32"W x 45"D frames
OR-LXTPG2-A	(2) Grommet, top panel
OR-LXBCETP-A	(2) Brush, cable entry top panel

Notes: Replace "X" tailcode with "B" for black or "W" for white. Cable entry top comes with (2) grommets installed.



TOP PANEL – CABLE ENTRY

TOP PANELS

120V Fan Top Panels

PART NO.	DESCRIPTION
OR-LX2433TPH1-X-A	Top panel, half-depth, fan, (2) 6" diameter, 235 CFM, 120V, 24" x 33" frame
OR-LX2439TPH1-X-A	Top panel, half-depth, fan, (2) 6" diameter, 235 CFM, 120V, 24" x 39" frame
OR-LX2445TPH1-X-A	Top panel, half-depth, fan, (2) 6" diameter, 235 CFM, 120V, 24" x 45" frame
OR-LX3033TPH1-X-A	Top panel, half-depth, fan, (2) 6" diameter, 235 CFM, 120V, 30" x 33" frame
OR-LX3039TPH1-X-A	Top panel, half-depth, fan, (2) 6" diameter, 235 CFM, 120V, 30" x 39" frame
OR-LX3045TPH1-X-A	Top panel, half-depth, fan, (2) 6" diameter, 235 CFM, 120V, 30" x 45" frame
OR-LX3233TPH1-X-A	Top panel, half-depth, fan, (2) 6" diameter, 235 CFM, 120V, 32" x 33" frame
OR-LX3239TPH1-X-A	Top panel, half-depth, fan, (2) 6" diameter, 235 CFM, 120V, 32" x 39" frame
OR-LX3245TPH1-X-A	Top panel, half-depth, fan, (2) 6" diameter, 235 CFM, 120V, 32" x 45" frame

Notes: Replace "X" tailcode with "B" for black or "W" for white.

208V Fan Top Panels

OR-LX2433TPH2-X-A	Top panel, half-depth, fan, (2) 6" diameter, 235 CFM, 208V, 24" x 33" frame
OR-LX2439TPH2-X-A	Top panel, half-depth, fan, (2) 6" diameter, 235 CFM, 208V, 24" x 39" frame
OR-LX2445TPH2-X-A	Top panel, half-depth, fan, (2) 6" diameter, 235 CFM, 208V, 24" x 45" frame
OR-LX3033TPH2-X-A	Top panel, half-depth, fan, (2) 6" diameter, 235 CFM, 208V, 30" x 33" frame
OR-LX3039TPH2-X-A	Top panel, half-depth, fan, (2) 6" diameter, 235 CFM, 208V, 30" x 39" frame
OR-LX3045TPH2-X-A	Top panel, half-depth, fan, (2) 6" diameter, 235 CFM, 208V, 30" x 45" frame
OR-LX3233TPH2-X-A	Top panel, half-depth, fan, (2) 6" diameter, 235 CFM, 208V, 32" x 33" frame
OR-LX3239TPH2-X-A	Top panel, half-depth, fan, (2) 6" diameter, 235 CFM, 208V, 32" x 39" frame
OR-LX3245TPH2-X-A	Top panel, half-depth, fan, (2) 6" diameter, 235 CFM, 208V, 32"x 45" frame


Notes: Replace "X" tailcode with "B" for black or "W" for white.



TOP PANEL – FAN



TOP PANEL – 208V FAN



L-SHAPED VERTICAL MANAGERS



BEND LIMITING CLIPS

CABLE MANAGEMENT

Vertical Managers

PART NO.	DESCRIPTION
OR-LX42244VMFL-A	Vertical manager, "L" shape, 24"W, 4" fingers, 42U frames
OR-LX42246VMFL-A	Vertical manager, "L" shape, 24"W, 6" fingers, 42U frames
OR-LX42304VMFL-A	Vertical manager, "L" shape, 30"W, 4" fingers, 42U frames
OR-LX42306VMFL-A	Vertical manager, "L" shape, 30"W, 6" fingers, 42U frames
OR-LX42324VMFL-A	Vertical manager, "L" shape, 32"W, 4" fingers, 42U frames
OR-LX42326VMFL-A	Vertical manager, "L" shape, 32"W, 6" fingers, 42U frames
OR-LXBLC412-A	(12) Bend limiting clip, 4", black
OR-MM20BLC-B-A	(12) Bend limiting clip, 6", black
OR-LXZU419-B-A	Shelf, zero U, 4" fingers, black
OR-LXZU619-B-A	Shelf, zero U, 6" fingers, black

CABLE MANAGEMENT

PDU Lacing Bars

PART NO.	DESCRIPTION
OR-LX42VPMLS-A	Vertical PDU mount and lacing bar, single for 42U frames
OR-LX45VPMLS-A	Vertical PDU mount and lacing bar, single for 45U frames
OR-LX47VPMLS-A	Vertical PDU mount and lacing bar, single for 47U frames
OR-LX52VPMLS-A	Vertical PDU mount and lacing bar, single for 52U frames
OR-LX42VPMLD-A	Vertical PDU mount and lacing bar, double for 42U frames
OR-LX45VPMLD-A	Vertical PDU mount and lacing bar, double for 45U frames
OR-LX47VPMLD-A	Vertical PDU mount and lacing bar, double for 47U frames
OR-LX52VPMLD-A	Vertical PDU mount and lacing bar, double for 52U frames

PDU Lacing Bar Accessories

OR-MM20CMR3-B-A	{14} 1.75" x 3" ring, mounts on lacing bar, black
OR-MM20CMR6-B-A	{14} 1.75" x 6" ring, mounts on lacing bar, black
OR-LXTUSP-B-A	Take-up spool, fits PDU/lacing bar, black

PDU Lacing Bars 90°

OR-LX42VPMLS90-A	Vertical PDU/lacing mount, 90°, single, 42U frames
OR-LX45VPMLS90-A	Vertical PDU/lacing mount, 90°, single, 45U frames
OR-LX47VPMLS90-A	Vertical PDU/lacing mount, 90°, single, 47U frames
OR-LX52VPMLS90-A	Vertical PDU/lacing mount, 90°, single, 52U frames
OR-LX42VPMLD90-A	Vertical PDU/lacing mount, 90°, double, 42U frames
OR-LX45VPMLD90-A	Vertical PDU/lacing mount, 90°, double, 45U frames
OR-LX47VPMLD90-A	Vertical PDU/lacing mount, 90°, double, 47U frames
OR-LX52VPMLD90-A	Vertical PDU/lacing mount, 90°, double, 52U frames

Verical Wire Terllis

OR-LXVWT4206-B-A	Vertical wire trellis, 42U, 6"W, black
OR-LXVWT4506-B-A	Vertical wire trellis, 45U, 6"W, black
OR-LXVWT4706-B-A	Vertical wire trellis, 47U, 6"W, black
OR-LXVWT5206-B-A	Vertical wire trellis, 52U, 6"W, black

Internal Cable Management

OR-LXFTRCM192U-A	Front-to-rear cable manager, 19" EIA, 2U, 16.25"-30"
OR-LXFTRCM1624-B-A	Front-to-rear cable manager, adjustable, 16.25"-24"
OR-LXFTRCM1930-B-A	Front-to-rear cable manager, adjustable, 19"-30"
OR-LXVFRBKT22-A	Vertical fiber raceway bracket, 2" x 2", black
OR-LXVFRBKT44-A	Vertical fiber raceway bracket, 4" x 4", black
OR-LXHFRBKT22-A	Horizontal fiber raceway bracket, 2" x 2", black
OR-LXHFRBKT44-A	Horizontal fiber raceway bracket, 4" x 4", black
OR-LXVFRTRN22-A	Vertical fiber raceway transition bracket, 2" x 2", black
OR-LXVFRTRN44-A	Vertical fiber raceway transition bracket, 4" x 4", black

Notes: Vertical managers are compatible with air dams and side patching. Zero U shelves mount between opposing managers. Vertical managers ship installed. Take up spools fit on all PDU bars at multiple locations.



LACING BARS



CABLE RINGS



FRONT TO REAR CABLE MANAGER



INTRA-CABINET CABLE MANAGEMENT

AIRFLOW MANAGEMENT

Air Dams

PART NO.	DESCRIPTION
OR-LXADK4230-X-A	Air dam kit, 30"W x 42 RU frame
OR-LXADK4530-X-A	Air dam kit, 30"W x 45 RU frame
OR-LXADK4730-X-A	Air dam kit, 30"W x 47 RU frame
OR-LXADK5230-X-A	Air dam kit, 30"W x 52 RU frame
OR-LXADK4232-X-A	Air dam kit, 32"W x 42 RU frame
OR-LXADK4532-X-A	Air dam kit, 32"W x 45 RU frame
OR-LXADK4732-X-A	Air dam kit, 32"W x 47 RU frame
OR-LXADK5232-X-A	Air dam kit, 32"W x 52 RU frame

Blanking Panels

OR-BFPT-1RU-10-X-A	Tool-less snap-in filler panel, 1RU, 10pk
--------------------	---

Bottom Panels

OR-LXC2433BP-X-A	Bottom panel, 24"W x 33"D
OR-LXC2439BP-X-A	Bottom panel, 24"W x 39"D
OR-LXC2445BP-X-A	Bottom panel, 24"W x 45"D
OR-LXC3033BP-X-A	Bottom panel, 30"W x 33"D
OR-LXC3039BP-X-A	Bottom panel, 30"W x 39"D
OR-LXC3045BP-X-A	Bottom panel, 30"W x 45"D
OR-LXC3233BP-X-A	Bottom panel, 32"W x 33"D
OR-LXC3239BP-X-A	Bottom panel, 32"W x 39"D
OR-LXC3245BP-X-A	Bottom panel, 32"W x 45"D

Side Patching

OR-LXSP4230-X-A	Side patching baffle, 30"W x 42 RU frame
OR-LXSP4232-X-A	Side patching baffle, 32"W x 42 RU frame
OR-LXSP4530-X-A	Side patching baffle, 30"W X 45 RU frame
OR-LXSP4532-X-A	Side patching baffle, 32"W X 45 RU frame
OR-LXSP4730-X-A	Side patching baffle, 30"W X 47 RU frame
OR-LXSP4732-X-A	Side patching baffle, 32"W X 47 RU frame
OR-LXSP5230-X-A	Side patching baffle, 30"W X 52 RU frame
OR-LXSP5232-X-A	Side patching baffle, 32"W X 52 RU frame

Seal Kits

OR-LXCSK24-B-A	Seal kit, 24"W, top and bottom
OR-LXCSK30-B-A	Seal kit, 30"W, top and bottom
OR-LXCSK32-B-A	Seal kit, 32"W, top and bottom

Floor Seals

OR-LXFLSBKT24U-X-A	Floor seal bracket, 24"W
OR-LXFLSBKT30U-X-A	Floor seal bracket, 30"W
OR-LXFLSBKT32U-X-A	Floor seal bracket, 32"W

Notes: Replace "X" tailcode with "B" for black or "W" for white. Filler panels fit round or square holes and are reusable. Bottom panels have knock outs for cable management. Knockouts accept top panel grommet, part number LXTPG-2. Side patching can accept a blanking panel to create an air dam until used. Side patching can accept a patch panel or fiber cassette bracket. Seal kit seals above and below rails and is used in conjunction with angled airflow baffles. Floor seal bracket seals the face of the frame to the floor.



AIR DAM KIT



SIDE PATCHING BAFFLE

OVERHEAD CABLE MANAGEMENT

Mini Rack

PART NO.	DESCRIPTION
OR-LXTOHMR24-X-A	Overhead mini rack, fits 24"W frame, 5U
OR-LXTOHMR30-X-A	Overhead mini rack, fits 30"W frame, 5U
OR-LXTOHMR32-X-A	Overhead mini rack, fits 32"W frame, 5U
OR-LXHSMRFR12-X-A	Horizontal support, mini rack, fiber raceway/ladder rack, 12"
OR-LXHSMRCF12-X-A	Horizontal support, mini rack, Cablofil, 12"
OR-LX054VMFL-A	Vertical manager fingers, 4" fingers, "L" shape 1.5"W, 5U mini rack
OR-LX056VMFL-A	Vertical manager fingers, 6" fingers, "L" shape 1.5"W, 5U mini rack
OR-LXCTMB063-X-A	Cable tray mounting bracket, Cablofil®, FAS style, for 6"W tray, 3" adjustable
OR-LXCTMB123-X-A	Cable tray mounting bracket, Cablofil, FAS style, for 12"W tray, 3" adjustable
OR-LXCTMB183-X-A	Cable tray mounting bracket, Cablofil, FAS style, for 18"W tray, 3" adjustable




OVERHEAD MINI RACK
WITH VERTICAL MANAGER FINGERS

Cable Tray Brackets

OR-LXCTMB066-X-A	Cable tray mounting bracket, Cablofil, FAS style, for 6"W tray, 6" adjustable
OR-LXCTMB126-X-A	Cable tray mounting bracket, Cablofil, FAS style, for 12"W tray, 6" adjustable
OR-LXCTMB186-X-A	Cable tray mounting bracket, Cablofil, FAS style, for 18"W tray, 6" adjustable

Cable Runway Brackets

OR-LXCRMB063-X-A	Cable runway mounting bracket, for 6"W runway, 3" adjustable
OR-LXCRMB123-X-A	Cable runway mounting bracket, for 12"W runway, 3" adjustable
OR-LXCRMB183-X-A	Cable runway mounting bracket, for 18"W runway, 3" adjustable
OR-LXCRMB066-X-A	Cable runway mounting bracket, for 6"W runway, 6" adjustable
OR-LXCRMB126-X-A	Cable runway mounting bracket, for 12"W runway, 6" adjustable
OR-LXCRMB186-X-A	Cable runway mounting bracket, for 18"W runway, 6" adjustable



ADJUSTABLE OVERHEAD BRACKETS

Two Tier Manager


OR-LX0HCRM6-B-A	Overhead cable runway manager, for 6", two-tier
OR-LX0HCRM12-B-A	Overhead cable runway manager, for 12", two-tier
OR-LX0HCRM18-B-A	Overhead cable runway manager, for 18", two-tier

Cable Troughs

OR-LX2406CTCE-X-A	Cable trough, center exit, 6"W for 24"W frames
OR-LX2412CTCE-X-A	Cable trough, center exit, 12"W for 24"W frames
OR-LX2418CTCE-X-A	Cable trough, center exit, 18"W for 24"W frames
OR-LX3006CTCE-X-A	Cable trough, center exit, 6"W for 30"W frames
OR-LX3012CTCE-X-A	Cable trough, center exit, 12"W for 30"W frames
OR-LX3018CTCE-X-A	Cable trough, center exit, 18"W for 30"W frames
OR-LX3206CTCE-X-A	Cable trough, center exit, 6"W for 32"W frames
OR-LX3212CTCE-X-A	Cable trough, center exit, 12"W for 32"W frames
OR-LX3218CTCE-X-A	Cable trough, center exit, 18"W for 32"W frames
OR-LX3UCTPB-X-A	Cable trough bracket, 3U



TWO-TIER CABLE MANAGER



CABLE TROUGH

Notes: Replace "X" tailcode with "B" for black or "W" for white. Cable tray brackets come with installation hardware. Two-tier managers come with installation hardware.

VENTILATION SYSTEM

Chimney Solutions

PART NO.	DESCRIPTION
OR-LXCHF2439-X-A	Chimney base, full width, 21"H x 24"W x 39"D
OR-LXCHF3039-X-A	Chimney base, full width, 21"H x 30"W x 39"D
OR-LXCHF3239-X-A	Chimney base, full width, 21"H x 32"W x 39"D
OR-LXCHF2445-X-A	Chimney base, full width, 21"H x 24"W x 45"D
OR-LXCHF3045-X-A	Chimney base, full width, 21"H x 30"W x 45"D
OR-LXCHF3245-X-A	Chimney base, full width, 21"H x 32"W x 45"D
OR-LXCEF2422-X-A	Chimney extension, full width, 24"W, 22"-34" adjustable
OR-LXCEF2434-X-A	Chimney extension, full width, 24"W, 34"-46" adjustable
OR-LXCEF2446-X-A	Chimney extension, full width, 24"W, 46"-58" adjustable
OR-LXCEF3022-X-A	Chimney extension, full width, 30"W, 22"-34" adjustable
OR-LXCEF3034-X-A	Chimney extension, full width, 30"W, 34"-46" adjustable
OR-LXCEF3046-X-A	Chimney extension, full width, 30"W, 46"-58" adjustable
OR-LXCEF3222-X-A	Chimney extension, full width, 32"W, 22"-34" adjustable
OR-LXCEF3234-X-A	Chimney extension, full width, 32"W, 34"-46" adjustable
OR-LXCEF3246-X-A	Chimney extension, full width, 32"W, 46"-58" adjustable
OR-LXCBPF24-A	Blanking panel, full chimney, 24"W
OR-LXCBPF30-A	Blanking panel, full chimney, 30"W
OR-LXCBPF32-A	Blanking panel, full chimney, 32"W
OR-LXCFFAN24-X-A	Fan tray, chimney, 24"W, 2, 300 CFM, 85-264 VAC
OR-LXCFFAN30-X-A	Fan tray, chimney, 30"W, 2, 300 CFM, 85-264 VAC (fits 32"W)
OR-LXCHO2439-X-A	Chimney base, off-set, 21"H x 24"W x 39"D
OR-LXCHO3039-X-A	Chimney base, off-set, 21"H x 30"W x 39"D
OR-LXCHO3239-X-A	Chimney base, off-set, 21"H x 32"W x 39"D
OR-LXCHO2445-X-A	Chimney base, off-set, 21"H x 24"W x 45"D
OR-LXCHO3045-X-A	Chimney base, off-set, 21"H x 30"W x 45"D
OR-LXCHO3245-X-A	Chimney base, off-set, 21"H x 32"W x 45"D
OR-LXCEO1822-X-A	Chimney extension, off-set, 18"W, 22"-34" adjustable
OR-LXCEO1834-X-A	Chimney extension, off-set, 18"W, 34"-46" adjustable
OR-LXCEO1846-X-A	Chimney extension, off-set, 18"W, 46"-58" adjustable
OR-LXCBPO-A	Blanking panel, off-set chimney

Airflow Director

OR-LXAFDN24-X-A	Airflow deflector, network, 24"W
OR-LXAFDN30-X-A	Airflow deflector, network, 30"W
OR-LXAFDN32-X-A	Airflow deflector, network, 32"W
OR-LXAFDS24-X-A	Airflow deflector, server, 24"W
OR-LXAFDS30-X-A	Airflow deflector, server, 30"W
OR-LXAFDS32-X-A	Airflow deflector, server, 32"W

Notes: Replace "X" tailcode with "B" for black or "W" for white. Off-set chimney can be mounted on either side of the cabinet. Chimney blanking panels can be removed as densities increase. Airflow directors prevent turbulence at the bottom of the cabinet in chimney applications.



CHIMNEY BASE - FULL WIDTH



CHIMNEY EXTENSION - FULL WIDTH



CHIMNEY - FAN TRAY



CHIMNEY BASE - OFF-SET WIDTH



CHIMNEY EXTENSION - OFF-SET WIDTH

SWITCH AIRFLOW SOLUTIONS

Airflow Baffles

PART NO.	DESCRIPTION
OR-LXAB421418-A	Airflow baffle, 42 RU, adjustable, 14.25"–18.25" rail space, 30"–32"W, black
OR-LXAB422226-A	Airflow baffle, 42 RU, adjustable, 22"–26" rail space, 30"–32"W, black
OR-LXAB422832-A	Airflow baffle, 42 RU, adjustable, 28"–32" rail space, 30"–32"W, black
OR-LXAB451418-A	Airflow baffle, 45 RU, adjustable, 14.25"–18.25" rail space, 30"–32"W, black
OR-LXAB452226-A	Airflow baffle, 45 RU, adjustable, 22"–26" rail space, 30"–32"W, black
OR-LXAB452832-A	Airflow baffle, 45 RU, adjustable, 28"–32" rail space, 30"–32"W, black
OR-LXAB471418-A	Airflow baffle, 47 RU, adjustable, 14.25"–18.25" rail space, 30"–32"W, black
OR-LXAB472226-A	Airflow baffle, 47 RU, adjustable, 22"–26" rail space, 30"–32"W, black
OR-LXAB472832-A	Airflow baffle, 47 RU, adjustable, 28"–32" rail space, 30"–32"W, black
OR-LXAB521418-A	Airflow baffle, 52 RU, adjustable, 14.25"–18.25" rail space, 30"–32"W, black
OR-LXAB522226-A	Airflow baffle, 52 RU, adjustable, 22"–26" rail space, 30"–32"W, black
OR-LXAB522832-A	Airflow baffle, 52 RU, adjustable, 28"–32" rail space, 30"–32"W, black
OR-LXCAB4230SA-X-A	Airflow baffle, end-of-row, 30"W, 42U
OR-LXCAB4232SA-X-A	Airflow baffle, end-of-row, 32"W, 42U
OR-LXCAB4530SA-X-A	Airflow baffle, end-of-row, 30"W, 45U
OR-LXCAB4532SA-X-A	Airflow baffle, end-of-row, 32"W, 45U
OR-LXCAB4730SA-X-A	Airflow baffle, end-of-row, 30"W, 47U
OR-LXCAB4732SA-X-A	Airflow baffle, end-of-row, 32"W, 47U
OR-LXCAB5230SA-X-A	Airflow baffle, end-of-row, 30"W, 52U
OR-LXCAB5232SA-X-A	Airflow baffle, end-of-row, 32"W, 52U

Side Cars

OR-LXSC42839-X-A	Side car, 42U, 8"W x 39"D
OR-LXSC42845-X-A	Side car, 42U, 8"W x 45"D
OR-LXSC45839-X-A	Side car, 45U, 8"W x 39"D
OR-LXSC45845-X-A	Side car, 45U, 8"W x 45"D
OR-LXSC47839-X-A	Side car, 47U, 8"W x 39"D
OR-LXSC47845-X-A	Side car, 47U, 8"W x 45"D
OR-LXSC52839-X-A	Side car, 52U, 8"W x 39"D
OR-LXSC52845-X-A	Side car, 52U, 8"W x 45"D

Notes: Replace "X" tailcode with "B" for black or "W" for white.

Filler Panels

OR-LXABFP14181-A	Filler panel, 1U front-to-rear, adjustable, 14.75"–17.75" rail space, black
OR-LXABFP22261-A	Filler panel, 1U front-to-rear, adjustable, 22"–26" rail space, black
OR-LXABFP28321-A	Filler panel, 1U front-to-rear, adjustable, 28"–32" rail space, black
OR-LXABFP14185-A	Filler panel, 5U front-to-rear, adjustable, 14.75"–17.75" rail space, black
OR-LXABFP22265-A	Filler panel, 5U front-to-rear, adjustable, 22"–26" rail space, black
OR-LXABFP28325-A	Filler panel, 5U front-to-rear, adjustable, 28"–32" rail space, black
OR-LXAB5U-A	Airflow baffle, rear mount, 5U, black



AIRFLOW BAFFLES



SIDE CARS



FILLER PANEL – 5U

ACCESSORIES

Accessories

PART NO.	DESCRIPTION
OR-LXMBK-A	Multi-bay hardware kit, (6) 1/4-20 bolts
OR-LXUN-1420-8-A	Unistrut hardware kit, (8) 1/4-20 bolts and uni-strut nuts
OR-LXCAS-SW-3-A	(4) Casters, swivel, 3" diameter
OR-LXLVL-IP-B-A	(4) Levelers, 1/2-13 thread, with isolation pads
OR-LXGNDBR42U-A	Non-isolated grounding bar, 42U, non-isolated
OR-LXGNDBR45U-A	Non-isolated grounding bar, 45U, non-isolated
OR-LXGNDBR47U-A	Non-isolated grounding bar, 47U, non-isolated
OR-LXGNDBR52U-A	Non-isolated grounding bar, 52U, non-isolated
OR-LXRULBL-60-A-A	Adhesive rack unit label, 60 RU
OR-LXRSLBL-A	Adhesive label, front-to-rear, rail spacing label, 48"
OR-LXTPG2	Top panel grommet, quantity of (2)
OR-70300089	Cable pass-thru grommet, 4"
OR-MMCSSVM-1924-A	Sliding shelf, 19" EIA, 24"D vented, 4-point, 150lb load rated, black
OR-MMCSSVL-1924-A	Sliding shelf, 19" EIA, 24"D Vented, 4-point, 100lb load rated, black
OR-MMCSSVH-1930-A	Sliding shelf, 19" EIA, 30"D Vented, 4-point, 300lb load rated, black
OR-MMCDR2-1915-A	Drawer, 2U, 19" x 15"D, black
OR-MMCDR4-1915-A	Drawer, 4U, 19" x 15"D, black
OR-MMCCNT00L-A	Cage nut installation tool
OR-MMCCSS1-1912-A	Cantilevered shelf, 1U, solid, steel, 19" x 12"D, black
OR-MMCCSS2-1915-A	Cantilevered shelf, 2U, solid, steel, 19" x 15"D, black
OR-MMCCSS3-1915-A	Cantilevered shelf, 3U, solid, steel, 19" x 15"D, black
OR-MMCCSV1-1912-A	Cantilevered shelf, 1U, vented, steel, 19" x 12"D, black
OR-MMCCSV2-1915-A	Cantilevered shelf, 2U, vented, steel, 19" x 15"D, black
OR-MMCCSV3-1915-A	Cantilevered shelf, 3U, vented, steel, 19" x 15"D, black

Power


OR-MMCPM23024-01-A	Metered 66.5" vertical PDU, 208V 30A, (24) IEC C13 outlets, L6-30P input plug with 10' cord
OR-MMCPM23024-02-A	Metered 66.5" vertical PDU, 208V 30A, (20) IEC (4) IEC C19 outlets, L6-30P input plug with 10' cord
OR-MMCPM22024-01-A	Metered 66.5" vertical PDU, 208V 20A, (24) IEC C13 outlets, L6-20P input plug with 10' cord
OR-MMCPM13024-01-A	Metered 66.5" vertical PDU, 120V 30A, (24) NEMA 5-20 outlets, L5-30P input plug with 10' cord
OR-MMCPB22024-01-A	Basic 66.5" vertical PDU, 208V 20A, (24) IEC C13 outlets, L6-20P input plug with 10' cord
OR-MMCPB11524-01-A	Basic 66.5" vertical PDU, 120V 15A, (24) NEMA 5-15 outlets, 5-15P input plug with 10' cord
OR-MMCPB12024-01-A	Basic 66.5" vertical PDU, 120V 20A, (24) NEMA 5-20 outlets, L5-20P input plug with 10' cord
OR-MMCPB13024-01-A	Basic 66.5" vertical PDU, 120V 30A, (24) NEMA 5-20 outlets, L5-30P input plug with 10' cord
OR-MMCPB23024-01-A	Basic 66.5" vertical PDU, 208V 30A, (24) IEC C13 outlets, L6-30P input plug with 10' cord
OR-MMCPB23024-02-A	Basic 66.5" vertical PDU, 208V 30A, (20) IEC (4) IEC C19 outlets, L6-30P input plug with 10' cord



MULTI-BAY HARDWARE KIT



NON-ISOLATED GROUNDING BAR



ADHESIVE RAIL SPACING LABEL



TOP PANEL GROMMET



METERED PDU





designed to be better.™



Data Communications

125 Eugene O'Neill Drive
New London, CT 06320
800.934.5432
www.legrand.us

570 Applewood Crescent
Vaughan, Ontario L4K 4B4
905.738.9195
www.legrand.ca

Follow Us

